

Used DSV Columns in Adventure Works DW

[Database: Adventure Works DW]

Table / Column		Data Type
DimAccount		
ParentAccountKey		Int32
Dimension Attribute Key	Dimension 'Account' > Attribute 'Accounts'	Integer
Operator		String
Dimension Attribute Unary Operator	Dimension 'Account' > Attribute 'Accounts'	WChar
CustomMembers		String
Dimension Attribute Custom Rollup	Dimension 'Account' > Attribute 'Accounts'	WChar
AccountKey		Int32
Dimension Attribute Key	Dimension 'Account' > Attribute 'Account'	Integer
AccountDescription		String
Dimension Attribute Name	Dimension 'Account' > Attribute 'Account'	WChar
AccountType		String
Dimension Attribute Key	Dimension 'Account' > Attribute 'Account Type'	WChar
AccountCodeAlternateKey		Int32
Dimension Attribute Key	Dimension 'Account' > Attribute 'Account Number'	Integer
DimCurrency		
CurrencyKey		Int32
Dimension Attribute Key	Dimension 'Source Currency' > Attribute 'Source Currency Code'	Integer
CurrencyAlternateKey		String
Dimension Attribute Name	Dimension 'Source Currency' > Attribute 'Source Currency Code'	WChar
CurrencyName		String
Dimension Attribute Key	Dimension 'Source Currency' > Attribute 'Source Currency'	WChar

Table / Column		Data Type
DimCustomer		
CustomerKey		Int32
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Customer'	Integer
FullName		String
Dimension Attribute Name	Dimension 'Customer' > Attribute 'Customer'	WChar
BirthDate		DateTime
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Birth Date'	Date
DateFirstPurchase		DateTime
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Date of First Purchase'	Date
SimpleDateFirstPurchase		String
Dimension Attribute Name	Dimension 'Customer' > Attribute 'Date of First Purchase'	WChar
Phone		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Phone'	WChar
EmailAddress		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Email Address'	WChar
YearlyIncome		Decimal
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Yearly Income'	Currency
TotalChildren		Byte
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Total Children'	UnsignedTinyInt
NumberCarsOwned		Byte
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Number of Cars Owned'	UnsignedTinyInt
NumberChildrenAtHome		Byte
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Number of Children At Home'	UnsignedTinyInt
EnglishEducation		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Education'	WChar
SpanishEducation		String
Dimension Attribute Translation	Dimension 'Customer' > Attribute 'Education' > Translation '3082'	WChar
FrenchEducation		String

Table / Column		Data Type
Dimension Attribute Translation	Dimension 'Customer' > Attribute 'Education' > Translation '1036'	WChar
EnglishOccupation		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Occupation'	WChar
SpanishOccupation		String
Dimension Attribute Translation	Dimension 'Customer' > Attribute 'Occupation' > Translation '3082'	WChar
FrenchOccupation		String
Dimension Attribute Translation	Dimension 'Customer' > Attribute 'Occupation' > Translation '1036'	WChar
MaritalStatus		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Marital Status'	WChar
MaritalStatusDesc		String
Dimension Attribute Name	Dimension 'Customer' > Attribute 'Marital Status'	WChar
Gender		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Gender'	WChar
GenderDesc		String
Dimension Attribute Name	Dimension 'Customer' > Attribute 'Gender'	WChar
HouseOwnerFlag		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Home Owner'	WChar
HouseOwnerDesc		String
Dimension Attribute Name	Dimension 'Customer' > Attribute 'Home Owner'	WChar
CommuteDistance		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Commute Distance'	WChar
CommuteDistanceSort		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Commute Distance Sort'	WChar
AddressLine1		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Address'	WChar
DimDepartmentGroup		
ParentDepartmentGroupKey		Int32
Dimension Attribute Key	Dimension 'Department' > Attribute 'Departments'	Integer

Table / Column		Data Type
DepartmentGroupKey		Int32
Dimension Attribute Key	Dimension 'Department' > Attribute 'Department'	Integer
DepartmentGroupName		String
Dimension Attribute Name	Dimension 'Department' > Attribute 'Department'	WChar
DimDestinationCurrency		
CurrencyName		String
Dimension Attribute Key	Dimension 'Destination Currency' > Attribute 'Destination Currency'	WChar
CurrencyKey		Int32
Dimension Attribute Key	Dimension 'Destination Currency' > Attribute 'Destination Currency Code'	Integer
CurrencyAlternateKey		String
Dimension Attribute Name	Dimension 'Destination Currency' > Attribute 'Destination Currency Code'	WChar
DimEmployee		
EmployeeKey		Int32
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Employee'	Integer
FullName		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Employee'	WChar
DepartmentName		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Department Name'	WChar
SalesPersonFlag		Boolean
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Sales Person Flag'	Boolean
SalesPersonFlagDesc		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Sales Person Flag'	WChar
Title		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Title'	WChar
HireDate		DateTime
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Hire Date'	Date
Dimension Attribute Value	Dimension 'Employee' > Attribute 'Hire Date'	Date
SimpleHireDate		String

Table / Column		Data Type
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Hire Date'	WChar
SickLeaveHours		Int16
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Sick Leave Hours'	SmallInt
BirthDate		DateTime
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Birth Date'	Date
VacationHours		Int16
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Vacation Hours'	SmallInt
LoginID		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Login ID'	WChar
BaseRate		Decimal
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Base Rate'	Currency
EmailAddress		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Email Address'	WChar
PayFrequency		Byte
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Pay Frequency'	UnsignedTinyInt
PayFrequencyDesc		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Pay Frequency'	WChar
Phone		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Phone'	WChar
SalariedFlag		Boolean
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Salaried Flag'	Boolean
SalariedFlagDesc		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Salaried Flag'	WChar
EmergencyContactName		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Emergency Contact Name'	WChar
EmergencyContactPhone		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Emergency Contact Phone'	WChar
Gender		String

Table / Column		Data Type
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Gender'	WChar
GenderDesc		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Gender'	WChar
MaritalStatusDesc		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Marital Status'	WChar
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Marital Status'	WChar
SalesTerritoryKey		Int32
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Sales Territory Key'	Integer
EmployeeNationalIDAlternateKey		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'SSN'	WChar
ParentEmployeeNationalIDAlternateKey		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Manager SSN'	WChar
ParentEmployeeKey		Int32
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Employees'	Integer
EmployeeStatus		String
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Status'	WChar
StartDate		DateTime
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Start Date'	Date
Dimension Attribute Value	Dimension 'Employee' > Attribute 'Start Date'	Date
SimpleStartDate		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'Start Date'	WChar
EndDate		DateTime
Dimension Attribute Key	Dimension 'Employee' > Attribute 'End Date'	Date
Dimension Attribute Value	Dimension 'Employee' > Attribute 'End Date'	Date
SimpleEndDate		String
Dimension Attribute Name	Dimension 'Employee' > Attribute 'End Date'	WChar
HireYear		Int32
Dimension Attribute Key	Dimension 'Employee' > Attribute 'Hire Year'	Integer

Table / Column		Data Type
DimGeography		
PostalCode		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Postal Code'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'Postal Code'	WChar
Dimension Attribute Name	Dimension 'Customer' > Attribute 'Postal Code'	WChar
Dimension Attribute Name	Dimension 'Geography' > Attribute 'Postal Code'	WChar
City		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'City'	WChar
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Postal Code'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'City'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'Postal Code'	WChar
Dimension Attribute Name	Dimension 'Customer' > Attribute 'City'	WChar
Dimension Attribute Name	Dimension 'Geography' > Attribute 'City'	WChar
EnglishCountryRegionName		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'Country'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'Country'	WChar
SpanishCountryRegionName		String
Dimension Attribute Translation	Dimension 'Customer' > Attribute 'Country' > Translation '3082'	WChar
Dimension Attribute Translation	Dimension 'Geography' > Attribute 'Country' > Translation '3082'	WChar
FrenchCountryRegionName		String
Dimension Attribute Translation	Dimension 'Customer' > Attribute 'Country' > Translation '1036'	WChar
Dimension Attribute Translation	Dimension 'Geography' > Attribute 'Country' > Translation '1036'	WChar
StateProvinceCode		String
Dimension Attribute Key	Dimension 'Customer' > Attribute 'City'	WChar
Dimension Attribute Key	Dimension 'Customer' > Attribute 'State-Province'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'City'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'State-Province'	WChar
CountryRegionCode		String

Table / Column		Data Type
Dimension Attribute Key	Dimension 'Customer' > Attribute 'State-Province'	WChar
Dimension Attribute Key	Dimension 'Geography' > Attribute 'State-Province'	WChar
StateProvinceName		String
Dimension Attribute Name	Dimension 'Customer' > Attribute 'State-Province'	WChar
Dimension Attribute Name	Dimension 'Geography' > Attribute 'State-Province'	WChar
GeographyKey		Int32
Dimension Attribute Key	Dimension 'Geography' > Attribute 'Geography Key'	Integer
DimOrganization		
ParentOrganizationKey		Int32
Dimension Attribute Key	Dimension 'Organization' > Attribute 'Organizations'	Integer
PercentageOfOwnership		String
Dimension Attribute Unary Operator	Dimension 'Organization' > Attribute 'Organizations'	WChar
OrganizationKey		Int32
Dimension Attribute Key	Dimension 'Organization' > Attribute 'Organization'	Integer
OrganizationName		String
Dimension Attribute Name	Dimension 'Organization' > Attribute 'Organization'	WChar
CurrencyKey		Int32
Dimension Attribute Key	Dimension 'Organization' > Attribute 'Currency Code'	Integer
CurrencyAlternateKey		String
Dimension Attribute Name	Dimension 'Organization' > Attribute 'Currency Code'	WChar
DimProduct		
ProductKey		Int32
Dimension Attribute Key	Dimension 'Product' > Attribute 'Product'	Integer
EnglishProductName		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Product'	WChar
SpanishProductName		String
Dimension Attribute Translation	Dimension 'Product' > Attribute 'Product' > Translation '3082'	WChar
FrenchProductName		String

Table / Column		Data Type
Dimension Attribute Translation	Dimension 'Product' > Attribute 'Product' > Translation '1036'	WChar
StandardCost		Decimal
Dimension Attribute Key	Dimension 'Product' > Attribute 'Standard Cost'	Currency
Color		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Color'	WChar
SafetyStockLevel		Int16
Dimension Attribute Key	Dimension 'Product' > Attribute 'Safety Stock Level'	SmallInt
ReorderPoint		Int16
Dimension Attribute Key	Dimension 'Product' > Attribute 'Reorder Point'	SmallInt
ListPrice		Decimal
Dimension Attribute Key	Dimension 'Product' > Attribute 'List Price'	Currency
Size		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Size'	WChar
SizeRange		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Size Range'	WChar
Weight		Double
Dimension Attribute Key	Dimension 'Product' > Attribute 'Weight'	Double
Dimension Attribute Value	Dimension 'Product' > Attribute 'Weight'	Double
WeightDesc		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Weight'	WChar
DaysToManufacture		Int32
Dimension Attribute Key	Dimension 'Product' > Attribute 'Days to Manufacture'	Integer
DealerPrice		Decimal
Dimension Attribute Key	Dimension 'Product' > Attribute 'Dealer Price'	Currency
Class		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Class'	WChar
ClassDesc		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Class'	WChar

Table / Column		Data Type
Style		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Style'	WChar
StyleDesc		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Style'	WChar
ModelName		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Model Name'	WChar
ProductLine		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Product Line'	WChar
ProductLineName		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Product Line'	WChar
Status		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Status'	WChar
StatusDesc		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Status'	WChar
StartDate		DateTime
Dimension Attribute Key	Dimension 'Product' > Attribute 'Start Date'	Date
Dimension Attribute Value	Dimension 'Product' > Attribute 'Start Date'	Date
SimpleStartDate		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Start Date'	WChar
EndDate		DateTime
Dimension Attribute Key	Dimension 'Product' > Attribute 'End Date'	Date
Dimension Attribute Value	Dimension 'Product' > Attribute 'End Date'	Date
SimpleEndDate		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'End Date'	WChar
ProductAlternateKey		String
Dimension Attribute Key	Dimension 'Product' > Attribute 'Large Photo'	WChar
Dimension Attribute Key	Dimension 'Product' > Attribute 'Product Key'	WChar
LargePhoto		Byte[]

Table / Column		Data Type
Dimension Attribute Value	Dimension 'Product' > Attribute 'Large Photo'	Binary
DimProductCategory		
ProductCategoryKey		Int32
Dimension Attribute Key	Dimension 'Product' > Attribute 'Category'	Integer
EnglishProductCategoryName		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Category'	WChar
SpanishProductCategoryName		String
Dimension Attribute Translation	Dimension 'Product' > Attribute 'Category' > Translation '3082'	WChar
FrenchProductCategoryName		String
Dimension Attribute Translation	Dimension 'Product' > Attribute 'Category' > Translation '1036'	WChar
DimProductSubcategory		
ProductSubcategoryKey		Int32
Dimension Attribute Key	Dimension 'Product' > Attribute 'Subcategory'	Integer
EnglishProductSubcategoryName		String
Dimension Attribute Name	Dimension 'Product' > Attribute 'Subcategory'	WChar
FrenchProductSubcategoryName		String
Dimension Attribute Translation	Dimension 'Product' > Attribute 'Subcategory' > Translation '1036'	WChar
SpanishProductSubcategoryName		String
Dimension Attribute Translation	Dimension 'Product' > Attribute 'Subcategory' > Translation '3082'	WChar
DimPromotion		
PromotionKey		Int32
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Promotion'	Integer
EnglishPromotionName		String
Dimension Attribute Name	Dimension 'Promotion' > Attribute 'Promotion'	WChar
SpanishPromotionName		String
Dimension Attribute Translation	Dimension 'Promotion' > Attribute 'Promotion' > Translation '3082'	WChar
FrenchPromotionName		String
Dimension Attribute Translation	Dimension 'Promotion' > Attribute 'Promotion' > Translation '1036'	WChar

Table / Column		Data Type
DiscountPct		Double
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Discount Percent'	Double
Dimension Attribute Value	Dimension 'Promotion' > Attribute 'Discount Percent'	Double
DiscountPctDesc		Double
Dimension Attribute Name	Dimension 'Promotion' > Attribute 'Discount Percent'	WChar
MaxQty		Int32
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Max Quantity'	Integer
Dimension Attribute Value	Dimension 'Promotion' > Attribute 'Max Quantity'	Integer
MaxQtyDesc		Int32
Dimension Attribute Name	Dimension 'Promotion' > Attribute 'Max Quantity'	WChar
EnglishPromotionType		String
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Promotion Type'	WChar
SpanishPromotionType		String
Dimension Attribute Translation	Dimension 'Promotion' > Attribute 'Promotion Type' > Translation '3082'	WChar
FrenchPromotionType		String
Dimension Attribute Translation	Dimension 'Promotion' > Attribute 'Promotion Type' > Translation '1036'	WChar
MinQty		Int32
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Min Quantity'	Integer
EnglishPromotionCategory		String
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Promotion Category'	WChar
SpanishPromotionCategory		String
Dimension Attribute Translation	Dimension 'Promotion' > Attribute 'Promotion Category' > Translation '3082'	WChar
FrenchPromotionCategory		String
Dimension Attribute Translation	Dimension 'Promotion' > Attribute 'Promotion Category' > Translation '1036'	WChar
EndDate		DateTime
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'End Date'	Date
Dimension Attribute Value	Dimension 'Promotion' > Attribute 'End Date'	Date
SimpleEndDate		String

Table / Column		Data Type
Dimension Attribute Name	Dimension 'Promotion' > Attribute 'End Date'	WChar
StartDate		DateTime
Dimension Attribute Key	Dimension 'Promotion' > Attribute 'Start Date'	Date
Dimension Attribute Value	Dimension 'Promotion' > Attribute 'Start Date'	Date
SimpleStartDate		String
Dimension Attribute Name	Dimension 'Promotion' > Attribute 'Start Date'	WChar
DimReseller		
ResellerKey		Int32
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Reseller'	Integer
ResellerName		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'Reseller'	WChar
ProductLine		String
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Product Line'	WChar
Phone		String
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Phone'	WChar
LastOrderYear		Int32
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Last Order Year'	Integer
LastOrderYearDesc		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'Last Order Year'	WChar
BusinessType		String
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Business Type'	WChar
FirstOrderYear		Int32
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'First Order Year'	Integer
Dimension Attribute Value	Dimension 'Reseller' > Attribute 'First Order Year'	Integer
FirstOrderYearDesc		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'First Order Year'	WChar
NumberEmployees		Int32
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Number of Employees'	Integer

Table / Column		Data Type
YearOpened		Int32
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Year Opened'	Integer
AnnualSales		Decimal
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Annual Sales'	Currency
AnnualRevenue		Decimal
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Annual Revenue'	Currency
BankName		String
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Bank Name'	WChar
MinPaymentAmount		Decimal
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Min Payment Amount'	Currency
Dimension Attribute Value	Dimension 'Reseller' > Attribute 'Min Payment Amount'	Double
MinPaymentAmountDesc		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'Min Payment Amount'	WChar
MinPaymentType		Byte
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Min Payment Type'	UnsignedTinyInt
MinPaymentTypeDesc		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'Min Payment Type'	WChar
OrderFrequency		String
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Order Frequency'	WChar
OrderFrequencyDesc		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'Order Frequency'	WChar
OrderMonth		Byte
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Order Month'	UnsignedTinyInt
Dimension Attribute Value	Dimension 'Reseller' > Attribute 'Order Month'	UnsignedTinyInt
OrderMonthDesc		String
Dimension Attribute Name	Dimension 'Reseller' > Attribute 'Order Month'	WChar
GeographyKey		Int32
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Geography Key'	Integer

Table / Column		Data Type
AddressLine1		String
Dimension Attribute Key	Dimension 'Reseller' > Attribute 'Address'	WChar
DimSalesReason		
SalesReasonKey		Int32
Dimension Attribute Key	Dimension 'Sales Reason' > Attribute 'Sales Reason'	Integer
SalesReasonName		String
Dimension Attribute Name	Dimension 'Sales Reason' > Attribute 'Sales Reason'	WChar
SalesReasonReasonType		String
Dimension Attribute Key	Dimension 'Sales Reason' > Attribute 'Sales Reason Type'	WChar
DimSalesTerritory		
SalesTerritoryKey		Int32
Dimension Attribute Key	Dimension 'Sales Territory' > Attribute 'Sales Territory Region'	Integer
SalesTerritoryRegion		String
Dimension Attribute Name	Dimension 'Sales Territory' > Attribute 'Sales Territory Region'	WChar
SalesTerritoryCountry		String
Dimension Attribute Key	Dimension 'Sales Territory' > Attribute 'Sales Territory Country'	WChar
SalesTerritoryGroup		String
Dimension Attribute Key	Dimension 'Sales Territory' > Attribute 'Sales Territory Group'	WChar
DimScenario		
ScenarioKey		Int32
Dimension Attribute Key	Dimension 'Scenario' > Attribute 'Scenario'	Integer
ScenarioName		String
Dimension Attribute Name	Dimension 'Scenario' > Attribute 'Scenario'	WChar
DimTime		
FiscalYear		String
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Quarter'	WChar
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Semester'	WChar
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Year'	WChar

Table / Column		Data Type
FiscalYearDesc		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Fiscal Year'	WChar
FiscalYearValue		Int16
Dimension Attribute Value	Dimension 'Date' > Attribute 'Fiscal Year'	SmallInt
TimeKey		Int32
Dimension Attribute Key	Dimension 'Date' > Attribute 'Date'	Integer
SimpleDate		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Date'	WChar
FullDateAlternateKey		DateTime
Dimension Attribute Value	Dimension 'Date' > Attribute 'Date'	Date
CalendarYear		String
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Quarter'	WChar
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Semester'	WChar
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Year'	WChar
Dimension Attribute Key	Dimension 'Date' > Attribute 'Month Name'	WChar
CalendarQuarter		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Quarter'	WChar
CalendarQuarterDesc		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Calendar Quarter'	WChar
FiscalQuarter		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Quarter'	WChar
FiscalQuarterDesc		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Fiscal Quarter'	WChar
CalendarSemester		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Semester'	WChar
CalendarSemesterDesc		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Calendar Semester'	WChar
FiscalSemester		Byte

Table / Column		Data Type
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Semester'	WChar
FiscalSemesterDesc		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Fiscal Semester'	WChar
DayNumberOfWeek		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Day Name'	UnsignedTinyInt
Dimension Attribute Key	Dimension 'Date' > Attribute 'Day of Week'	UnsignedTinyInt
Dimension Attribute Value	Dimension 'Date' > Attribute 'Day Name'	UnsignedTinyInt
EnglishDayNameOfWeek		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Day Name'	WChar
SpanishDayNameOfWeek		String
Dimension Attribute Translation	Dimension 'Date' > Attribute 'Day Name' > Translation '3082'	WChar
FrenchDayNameOfWeek		String
Dimension Attribute Translation	Dimension 'Date' > Attribute 'Day Name' > Translation '1036'	WChar
DayNumberOfMonth		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Day of Month'	UnsignedTinyInt
DayNumberOfYear		Int16
Dimension Attribute Key	Dimension 'Date' > Attribute 'Day of Year'	SmallInt
WeekNumberOfYear		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Week of Year'	UnsignedTinyInt
MonthNumberOfYear		Byte
Dimension Attribute Key	Dimension 'Date' > Attribute 'Month Name'	UnsignedTinyInt
Dimension Attribute Key	Dimension 'Date' > Attribute 'Month of Year'	UnsignedTinyInt
Dimension Attribute Value	Dimension 'Date' > Attribute 'Month of Year'	UnsignedTinyInt
MonthName		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Month Name'	WChar
MonthNameValue		DateTime
Dimension Attribute Value	Dimension 'Date' > Attribute 'Month Name'	WChar
CalendarYearDesc		String

Table / Column		Data Type
Dimension Attribute Name	Dimension 'Date' > Attribute 'Calendar Year'	WChar
CalendarYearValue		Int16
Dimension Attribute Value	Dimension 'Date' > Attribute 'Calendar Year'	SmallInt
FiscalSemesterOfYear		String
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Semester of Year'	WChar
CalendarSemesterOfYear		String
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Semester of Year'	WChar
FiscalQuarterOfYear		String
Dimension Attribute Key	Dimension 'Date' > Attribute 'Fiscal Quarter of Year'	WChar
CalendarQuarterOfYear		String
Dimension Attribute Key	Dimension 'Date' > Attribute 'Calendar Quarter of Year'	WChar
EnglishMonthName		String
Dimension Attribute Name	Dimension 'Date' > Attribute 'Month of Year'	WChar
SpanishMonthName		String
Dimension Attribute Translation	Dimension 'Date' > Attribute 'Month of Year' > Translation '3082'	WChar
FrenchMonthName		String
Dimension Attribute Translation	Dimension 'Date' > Attribute 'Month of Year' > Translation '1036'	WChar
FactCurrencyRate		
AverageRate		Double
Measure	Cube 'Adventure Works' > Measure Group 'Exchange Rates' > Measure 'Average Rate'	Double
EndOfDayRate		Double
Measure	Cube 'Adventure Works' > Measure Group 'Exchange Rates' > Measure 'End of Day Rate'	Double
TimeKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Exchange Rates' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Exchange Rates' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
CurrencyKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Exchange Rates' > Dimension 'Destination Currency' > Measure Group Attribute 'Destination Currency Code'	Integer

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Exchange Rates' > Dimension 'Destination Currency' > Measure Group Attribute 'Destination Currency Code'	Integer
FactFinance		
Amount		Double
Measure	Cube 'Adventure Works' > Measure Group 'Financial Reporting' > Measure 'Amount'	Double
ScenarioKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Financial Reporting' > Dimension 'Scenario' > Measure Group Attribute 'Scenario'	Integer
OrganizationKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Financial Reporting' > Dimension 'Organization' > Measure Group Attribute 'Organization'	Integer
DepartmentGroupKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Financial Reporting' > Dimension 'Department' > Measure Group Attribute 'Department'	Integer
AccountKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Financial Reporting' > Dimension 'Account' > Measure Group Attribute 'Account'	Integer
TimeKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Financial Reporting' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
FactInternetSales		
SalesOrderNumber		String
Dimension Attribute Key	Dimension 'Internet Sales Order Details' > Attribute 'Internet Sales Order'	WChar
Dimension Attribute Key	Dimension 'Internet Sales Order Details' > Attribute 'Sales Order Number'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
Measure	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Measure 'Internet Order Count'	WChar
SalesOrderLineNumber		Byte
Dimension Attribute Key	Dimension 'Internet Sales Order Details' > Attribute 'Internet Sales Order'	UnsignedTinyInt
Dimension Attribute Key	Dimension 'Internet Sales Order Details' > Attribute 'Sales Order Line'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
SalesOrderDesc		String
Dimension Attribute Name	Dimension 'Internet Sales Order Details' > Attribute 'Internet Sales Order'	WChar
CarrierTrackingNumber		String
Dimension Attribute Key	Dimension 'Internet Sales Order Details' > Attribute 'Carrier Tracking Number'	WChar
CustomerPONumber		String
Dimension Attribute Key	Dimension 'Internet Sales Order Details' > Attribute 'Customer PO Number'	WChar
SalesAmount		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Sales Amount'	Currency
OrderQuantity		Int16
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Order Quantity'	Integer
ExtendedAmount		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Extended Amount'	Currency
TaxAmt		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Tax Amount'	Currency

Table / Column		Data Type
Freight		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Freight Cost'	Currency
UnitPrice		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Unit Price'	Currency
TotalProductCost		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Total Product Cost'	Currency
ProductStandardCost		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Measure 'Internet Standard Product Cost'	Currency
PromotionKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
SalesTerritoryKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer

Table / Column		Data Type
OrderDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
ShipDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
DueDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
ProductKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
CustomerKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Customer' > Measure Group Attribute 'Customer'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Customer' > Measure Group Attribute 'Customer'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Customer' > Measure Group Attribute 'Customer'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Customer' > Measure Group Attribute 'Customer'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Customer' > Measure Group Attribute 'Customer'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Customer' > Measure Group Attribute 'Customer'	Integer
Measure	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Measure 'Customer Count'	Integer
CurrencyKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Customers' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Orders' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Internet Sales' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Customers' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Orders' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Internet Sales' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
FactInternetSalesReason		
SalesReasonKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Reasons' > Dimension 'Sales Reason' > Measure Group Attribute 'Sales Reason'	Integer
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Sales Reasons' > Dimension 'Sales Reason' > Measure Group Attribute 'Sales Reason'	Integer
SalesOrderNumber		String
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Reasons' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Sales Reasons' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	WChar
SalesOrderLineNumber		Byte
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Reasons' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Mined Customers' > Measure Group 'Sales Reasons' > Dimension 'Internet Sales Order Details' > Measure Group Attribute 'Internet Sales Order'	UnsignedTinyInt
FactResellerSales		
SalesOrderNumber		String
Dimension Attribute Key	Dimension 'Reseller Sales Order Details' > Attribute 'Reseller Sales Order'	WChar
Dimension Attribute Key	Dimension 'Reseller Sales Order Details' > Attribute 'Sales Order Number'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Reseller Sales Order Details' > Measure Group Attribute 'Reseller Sales Order'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Reseller Sales Order Details' > Measure Group Attribute 'Reseller Sales Order'	WChar
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Measure 'Reseller Order Count'	WChar
SalesOrderLineNumber		Byte
Dimension Attribute Key	Dimension 'Reseller Sales Order Details' > Attribute 'Reseller Sales Order'	UnsignedTinyInt
Dimension Attribute Key	Dimension 'Reseller Sales Order Details' > Attribute 'Sales Order Line'	UnsignedTinyInt

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Reseller Sales Order Details' > Measure Group Attribute 'Reseller Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Reseller Sales Order Details' > Measure Group Attribute 'Reseller Sales Order'	UnsignedTinyInt
SalesOrderDesc		String
Dimension Attribute Name	Dimension 'Reseller Sales Order Details' > Attribute 'Reseller Sales Order'	WChar
CarrierTrackingNumber		String
Dimension Attribute Key	Dimension 'Reseller Sales Order Details' > Attribute 'Carrier Tracking Number'	WChar
CustomerPONumber		String
Dimension Attribute Key	Dimension 'Reseller Sales Order Details' > Attribute 'Customer PO Number'	WChar
SalesAmount		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Sales Amount'	Currency
OrderQuantity		Int16
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Order Quantity'	Integer
ExtendedAmount		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Extended Amount'	Currency
TaxAmt		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Tax Amount'	Currency
Freight		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Freight Cost'	Currency
DiscountAmount		Double
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Discount Amount'	Double
UnitPrice		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Unit Price'	Currency
UnitPriceDiscountPct		Double
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Unit Price Discount Percent'	Double
TotalProductCost		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Total Product Cost'	Currency
ProductStandardCost		Decimal

Table / Column		Data Type
Measure	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Measure 'Reseller Standard Product Cost'	Currency
EmployeeKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Employee' > Measure Group Attribute 'Employee'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Employee' > Measure Group Attribute 'Employee'	Integer
PromotionKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
SalesTerritoryKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
ResellerKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Reseller' > Measure Group Attribute 'Reseller'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Reseller' > Measure Group Attribute 'Reseller'	Integer
OrderDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
ShipDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
DueDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
ProductKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
CurrencyKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Orders' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Reseller Sales' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
FactSalesQuota		
SalesAmountQuota		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Targets' > Measure 'Sales Amount Quota'	Currency
EmployeeKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Targets' > Dimension 'Employee' > Measure Group Attribute 'Employee'	Integer
CalendarYear		String
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Targets' > Dimension 'Date' > Measure Group Attribute 'Calendar Quarter'	WChar
CalendarQuarter		Byte
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Targets' > Dimension 'Date' > Measure Group Attribute 'Calendar Quarter'	WChar
FactSalesSummary		
SalesChannel		String
Dimension Attribute Key	Dimension 'Sales Channel' > Attribute 'Sales Channel'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Sales Channel' > Measure Group Attribute 'Sales Channel'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Sales Channel' > Measure Group Attribute 'Sales Channel'	WChar
SalesOrderNumber		String
Dimension Attribute Key	Dimension 'Sales Summary Order Details' > Attribute 'Sales Order'	WChar

Table / Column		Data Type
Dimension Attribute Key	Dimension 'Sales Summary Order Details' > Attribute 'Sales Order Number'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Sales Summary Order Details' > Measure Group Attribute 'Sales Order'	WChar
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Sales Summary Order Details' > Measure Group Attribute 'Sales Order'	WChar
Measure	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Measure 'Order Count'	WChar
SalesOrderLineNumber		Byte
Dimension Attribute Key	Dimension 'Sales Summary Order Details' > Attribute 'Sales Order'	UnsignedTinyInt
Dimension Attribute Key	Dimension 'Sales Summary Order Details' > Attribute 'Sales Order Line'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Sales Summary Order Details' > Measure Group Attribute 'Sales Order'	UnsignedTinyInt
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Sales Summary Order Details' > Measure Group Attribute 'Sales Order'	UnsignedTinyInt
SalesOrderDesc		String
Dimension Attribute Name	Dimension 'Sales Summary Order Details' > Attribute 'Sales Order'	WChar
CarrierTrackingNumber		String
Dimension Attribute Key	Dimension 'Sales Summary Order Details' > Attribute 'Carrier Tracking Number'	WChar
CustomerPONumber		String
Dimension Attribute Key	Dimension 'Sales Summary Order Details' > Attribute 'Customer PO Number'	WChar
OrderQuantity		Int16
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Order Quantity'	Integer
UnitPrice		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Unit Price'	Double
ExtendedAmount		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Extended Amount'	Double
ProductStandardCost		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Standard Product Cost'	Double
TotalProductCost		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Total Product Cost'	Double
SalesAmount		Decimal

Table / Column		Data Type
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Sales Amount'	Double
TaxAmt		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Tax Amount'	Double
Freight		Decimal
Measure	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Measure 'Freight Cost'	Double
OrderDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Date' > Measure Group Attribute 'Date'	Integer
ShipDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Ship Date' > Measure Group Attribute 'Date'	Integer
DueDateKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Delivery Date' > Measure Group Attribute 'Date'	Integer
ProductKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Product' > Measure Group Attribute 'Product'	Integer
PromotionKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Promotion' > Measure Group Attribute 'Promotion'	Integer
SalesTerritoryKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer

Table / Column		Data Type
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Sales Territory' > Measure Group Attribute 'Sales Territory Region'	Integer
CurrencyKey		Int32
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Orders' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
Fact Table Dimension Key	Cube 'Adventure Works' > Measure Group 'Sales Summary' > Dimension 'Source Currency' > Measure Group Attribute 'Source Currency Code'	Integer
vAssocSeqLineItems		
Model		String
Mining Structure Column Key	Mining Structure 'Market Basket' > Column 'v Assoc Seq Line Items' > Column 'Model'	WChar
Mining Structure Column Key	Mining Structure 'Sequence Clustering' > Column 'v Assoc Seq Line Items' > Column 'Model'	WChar
LineNumber		Byte
Mining Structure Column Key	Mining Structure 'Sequence Clustering' > Column 'v Assoc Seq Line Items' > Column 'Line Number'	UnsignedTinyInt
vAssocSeqOrders		
OrderNumber		String
Mining Structure Column Key	Mining Structure 'Market Basket' > Column 'Order Number'	WChar
Mining Structure Column Key	Mining Structure 'Sequence Clustering' > Column 'Order Number'	WChar
vTargetMail		
Age		Int32
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Age'	Integer
BikeBuyer		Int32
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Bike Buyer'	Integer
CommuteDistance		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Commute Distance'	WChar
CustomerKey		Int32
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Customer Key'	Integer
EnglishEducation		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Education'	WChar
EnglishOccupation		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Occupation'	WChar

Table / Column		Data Type
Gender		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Gender'	WChar
HouseOwnerFlag		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'House Owner Flag'	WChar
MaritalStatus		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Marital Status'	WChar
NumberCarsOwned		Byte
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Number Cars Owned'	UnsignedTinyInt
NumberChildrenAtHome		Byte
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Number Children At Home'	UnsignedTinyInt
Region		String
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Region'	WChar
TotalChildren		Byte
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Total Children'	UnsignedTinyInt
YearlyIncome		Decimal
Mining Structure Column Key	Mining Structure 'Targeted Mailing' > Column 'Yearly Income'	Currency
vTimeSeries		
Amount		Decimal
Mining Structure Column Key	Mining Structure 'Forecasting' > Column 'Amount'	Currency
ModelRegion		String
Mining Structure Column Key	Mining Structure 'Forecasting' > Column 'Model Region'	WChar
Quantity		Int32
Mining Structure Column Key	Mining Structure 'Forecasting' > Column 'Quantity'	Integer
TimeIndex		Int32
Mining Structure Column Key	Mining Structure 'Forecasting' > Column 'Time Index'	Integer